

# Air Cargo Schedule Planning

---

Integrated Models and Solution Procedures

Inauguraldissertation  
zur Erlangung des Doktorgrades  
der Wirtschafts- und Sozialwissenschaftlichen Fakultät  
der Universität zu Köln

2010

vorgelegt von  
Dipl. Wirt.-Inf. Stefan Friederichs  
aus Bonn

Referent: Prof. Dr. Dr. Ulrich Derigs  
Koreferent: Prof. Dr. Dr. h.c. Werner Delfmann  
Tag der Promotion: 23.07.2010

Wirtschaftsinformatik und Operations Research

Band 15

**Stefan Friederichs**

**Air Cargo Schedule Planning**

Integrated Models and Solution Procedures

D 38 (Diss. Universität Köln)

Shaker Verlag  
Aachen 2010

**Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Zugl.: Köln, Univ., Diss., 2010

Copyright Shaker Verlag 2010

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8322-9393-2  
ISSN 1433-8521

Shaker Verlag GmbH • P.O. BOX 101818 • D-52018 Aachen  
Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9  
Internet: [www.shaker.de](http://www.shaker.de) • e-mail: [info@shaker.de](mailto:info@shaker.de)

# Contents

|   |            |
|---|------------|
| <b>List of Figures</b>                                  | <b>V</b>   |
| <b>List of Tables</b>                                   | <b>VII</b> |
| <b>List of Algorithms</b>                               | <b>IX</b>  |
| <b>List of Models</b>                                   | <b>XI</b>  |
| <b>1 Introduction</b>                                   | <b>1</b>   |
| 1.1 Main Contributions . . . . .                        | 4          |
| 1.2 Outline of the Thesis . . . . .                     | 5          |
| <b>I Air Cargo Schedule Planning</b>                    | <b>9</b>   |
| <b>2 Fundamentals of Air Cargo Schedule Planning</b>    | <b>11</b>  |
| 2.1 The Air Cargo Business – A Brief Overview . . . . . | 11         |
| 2.2 Planning Problems at Cargo Airlines . . . . .       | 16         |
| 2.3 The Air Cargo Schedule Planning Process . . . . .   | 20         |
| 2.3.1 Flight Schedule Design . . . . .                  | 22         |
| 2.3.2 Fleet Assignment . . . . .                        | 23         |
| 2.3.3 Aircraft Rotation Planning . . . . .              | 25         |
| 2.3.4 Crew Scheduling . . . . .                         | 27         |
| 2.3.5 Cargo Routing . . . . .                           | 28         |
| <b>3 The Air Cargo Scheduling Problem</b>               | <b>29</b>  |
| 3.1 A Pragmatic Planning Paradigm . . . . .             | 29         |
| 3.2 Problem Definition . . . . .                        | 32         |
| 3.2.1 Problem Input and Output . . . . .                | 33         |
| 3.2.2 Planning Objective . . . . .                      | 34         |
| 3.2.3 Assumptions . . . . .                             | 35         |
| 3.2.4 Constraints . . . . .                             | 37         |
| 3.3 Potential Applications . . . . .                    | 39         |

---

## CONTENTS

---

|  |           |
|--|-----------|
| <b>II Mathematical Models</b>  | <b>41</b> |
| <b>4 Basic Concepts and Models</b>                                       | <b>43</b> |
| 4.1 Basic Concepts . . . . .   | 43        |
| 4.2 Models for Fleet Assignment and Aircraft Rotation Planning . . . . . | 47        |
| 4.2.1 A Timeline Network based Formulation . . . . .                     | 47        |
| 4.2.2 A Connection Network based Formulation . . . . .                   | 51        |
| 4.2.3 Flight String based Formulations for Maintenance Constraints       | 54        |
| 4.3 Models for Cargo Routing . . . . .                                   | 59        |
| 4.3.1 A Timeline Network based Formulation . . . . .                     | 59        |
| 4.3.2 A Path-Flow based Formulation . . . . .                            | 63        |
| <b>5 Integrated Models</b>   | <b>65</b> |
| 5.1 Model ACSP-T . . . . .   | 65        |
| 5.2 Model ACSP-C . . . . .   | 67        |
| <b>6 Model Extensions</b>  | <b>69</b> |
| 6.1 Fixed Costs for External Flights . . . . .                           | 69        |
| 6.2 Equal Aircraft Utilization . . . . .                                 | 70        |
| 6.3 Cargo Handling Costs and Constraints . . . . .                       | 72        |
| 6.4 Frequency Constraints . . . . .                                      | 78        |
| 6.5 Comparison and Constraint Classification . . . . .                   | 79        |
| 6.6 Definition of a Reference Model . . . . .                            | 80        |
| <b>III Solution Procedures</b>   | <b>83</b> |
| <b>7 Fundamentals</b>  | <b>85</b> |
| 7.1 Solution Strategies for the ACSP . . . . .                           | 85        |
| 7.2 Linear and Integer Programming Theory . . . . .                      | 87        |
| 7.2.1 Column Generation . . . . .  | 87        |
| 7.2.2 Branch-and-Bound . . . . .   | 89        |
| 7.2.3 Cutting Planes . . . . .   | 93        |
| 7.2.4 Branch-and-Price-and-Cut . . . . .                                 | 94        |
| <b>8 Solving the LP Relaxation using Column Generation</b>               | <b>97</b> |
| 8.1 Outline of the Solution Procedure . . . . .                          | 97        |
| 8.2 The Restricted Master Problem . . . . .                              | 98        |
| 8.3 Initialization of <i>RMP</i> . . . . .                               | 101       |
| 8.4 Column Generation for Cargo Flow Paths . . . . .                     | 102       |
| 8.4.1 The Pricing Problem . . . . .                                      | 102       |
| 8.4.2 Solving the Resource Constrained Shortest Path Problem . .         | 104       |

---

**CONTENTS**

|           |  |            |
|-----------|--|------------|
| 8.5       | Column Generation for Flight Strings . . . . .                   | 109        |
| 8.5.1     | The Pricing Problem . . . . .                                    | 109        |
| 8.5.2     | Solving the Resource Constrained Shortest Path Problem . . . . . | 112        |
| <b>9</b>  | <b>Solving the MIP using Branch-and-Price-and-Cut</b>            | <b>119</b> |
| 9.1       | Outline of the Solution Procedure . . . . .                      | 119        |
| 9.2       | Initialization . . . . .   | 123        |
| 9.3       | Branching . . . . .  | 123        |
| 9.3.1     | Optional/External Flight Branching . . . . .                     | 125        |
| 9.3.2     | Fleet-Flight Branching . . . . .                                 | 126        |
| 9.3.3     | Flight String Branching . . . . .                                | 127        |
| 9.3.4     | Follow-On Branching . . . . .                                    | 127        |
| 9.3.5     | Connection Arc Branching . . . . .                               | 129        |
| 9.4       | Cutting . . . . .  | 130        |
| 9.4.1     | Implied Bound Cuts . . . . .                                     | 130        |
| 9.4.2     | Clique Cuts . . . . .  | 132        |
| 9.5       | Connectivity Constraints . . . . .                               | 136        |
| 9.6       | Node Selection . . . . .   | 137        |
| <b>10</b> | <b>Acceleration and Relaxation Strategies</b>                    | <b>139</b> |
| 10.1      | Early Termination . . . . .                                      | 139        |
| 10.2      | Pricing Problem for Cargo Flow Paths . . . . .                   | 141        |
| 10.2.1    | Static Arc Elimination . . . . .                                 | 142        |
| 10.2.2    | From Dijkstra to A* . . . . .                                    | 142        |
| 10.3      | Pricing Problem for Flight Strings . . . . .                     | 144        |
| 10.3.1    | Static Arc Elimination . . . . .                                 | 144        |
| 10.3.2    | Network Visibility Phases . . . . .                              | 145        |
| 10.3.3    | Dominance Tests . . . . .  | 146        |
| 10.3.4    | Label Limitation . . . . .                                       | 147        |
| 10.4      | Subproblem Synchronization . . . . .                             | 148        |
| 10.5      | Column Management . . . . .                                      | 149        |
| 10.6      | Parallelization . . . . .  | 149        |
| <b>IV</b> | <b>Evaluation and Application</b>                                | <b>153</b> |
| <b>11</b> | <b>Problem Instances</b>   | <b>155</b> |
| 11.1      | Airline Scenarios . . . . .                                      | 155        |
| 11.2      | Data Sets . . . . .  | 158        |
| <b>12</b> | <b>Computational Results</b>                                     | <b>161</b> |
| 12.1      | Problem Size . . . . .   | 162        |

---

## CONTENTS

---

|  |            |
|--|------------|
| 12.2 Algorithmic Settings . . . . .                      | 164        |
| 12.2.1 Pricing Problem for Cargo Flow Paths . . . . .    | 164        |
| 12.2.2 Pricing Problem for Flight Strings . . . . .      | 167        |
| 12.2.3 Branching . . . . .                               | 174        |
| 12.2.4 Node Selection . . . . .                          | 175        |
| 12.2.5 Cutting . . . . .                                 | 175        |
| 12.2.6 Parallelization . . . . .                         | 178        |
| 12.3 Models . . . . .                                    | 179        |
| 12.4 Model Extensions . . . . .                          | 180        |
| 12.4.1 Maintenance Checks . . . . .                      | 180        |
| 12.4.2 Fixed Costs for External Flights . . . . .        | 181        |
| 12.4.3 Equal Aircraft Utilization . . . . .              | 182        |
| 12.4.4 Cargo Handling Costs and Constraints . . . . .    | 182        |
| 12.5 Final Results and Conclusions . . . . .             | 183        |
| <b>13 Design and Implementation of the DSS cargo.net</b> | <b>187</b> |
| 13.1 Decision Support Systems . . . . .                  | 187        |
| 13.2 Requirements of a DSS for the ACSP . . . . .        | 189        |
| 13.3 The DSS cargo.net . . . . .                         | 190        |
| 13.3.1 Data Component . . . . .                          | 190        |
| 13.3.2 Model Component . . . . .                         | 191        |
| 13.3.3 Dialog Component . . . . .                        | 192        |
| <b>14 Conclusions and Outlook</b>                        | <b>199</b> |
| 14.1 Conclusions . . . . .                               | 199        |
| 14.2 Critical Review and Future Research . . . . .       | 202        |
| <b>References</b>  | <b>205</b> |

# List of Figures

|      |   |     |
|------|---|-----|
| 1.1  | Air freight forecast . . . . .  | 1   |
| 2.1  | The air cargo schedule planning process . . . . .   | 21  |
| 3.1  | Construction of a master flight list . . . . .  | 31  |
| 3.2  | The air cargo scheduling problem (ACSP) . . . . .   | 33  |
| 4.1  | A timeline network for two airports and two fleets. . . . .   | 49  |
| 4.2  | A connection network for a single fleet . . . . .   | 52  |
| 4.3  | A string based timeline network. . . . .  | 56  |
| 4.4  | A timeline network for the cargo routing problem. . . . .   | 60  |
| 6.1  | Connection possibilities between cargo flight $i, j \in FC$ on a path $p$ . . . . .                 | 73  |
| 6.2  | Identification of handling conditions between two flights . . . . .                                 | 75  |
| 8.1  | The exact column generation procedure. . . . .  | 98  |
| 8.2  | A shortest path network for cargo flow paths . . . . .  | 103 |
| 8.3  | A shortest path network for flight strings . . . . .  | 111 |
| 9.1  | The exact branch-and-price-and-cut procedure . . . . .  | 120 |
| 9.2  | Submatrix present in a candidate Ryan-Foster branch. . . . .  | 128 |
| 9.3  | A conflict graph for flight strings. . . . .  | 133 |
| 10.1 | Early termination using the $\epsilon$ -environment. . . . .  | 140 |
| 10.2 | Typical development of the objective value $z_{RMP}$ with three network visibility phases . . . . . | 145 |
| 13.1 | The DDM architecture of a DSS . . . . .   | 189 |
| 13.2 | The flight screen of <b>cargo.net</b> . . . . .   | 193 |
| 13.3 | The O&D screen of <b>cargo.net</b> with an aggregated demand map. . . . .                           | 194 |
| 13.4 | The evaluation screen of <b>cargo.net</b> . . . . .   | 195 |



# List of Tables

|       |   |     |
|-------|---|-----|
| 2.1   | Classification of airline planning problems . . . . .   | 17  |
| 6.1   | Model features and complexity . . . . .   | 79  |
| 6.2   | Classification of constraints . . . . .   | 81  |
| 8.1   | Dual variables associated with the constraints of <i>RMP</i> . . . . .                            | 99  |
| 8.2   | Attributes of a cargo flow path label $\gamma$ . . . . .  | 104 |
| 8.3   | Attributes of a flight string label $\theta$ . . . . .  | 113 |
| 9.1   | Branching approaches for the ACSP . . . . .   | 124 |
| 11.1  | Airline scenarios . . . . .   | 157 |
| 11.2  | Data sets . . . . .   | 159 |
| 12.1  | Initial size of the master and pricing problems . . . . .   | 163 |
| 12.2  | Comparison of Dijkstra and A* for <i>PRICE-P</i> . . . . .  | 165 |
| 12.3  | Effects of static arc elimination for <i>PRICE-P</i> at the root node . . . . .                   | 166 |
| 12.4  | Effects of early termination for <i>PRICE-S</i> at the root node . . . . .                        | 167 |
| 12.5  | Effects of subproblem synchronization at the root node . . . . .                                  | 168 |
| 12.6  | Average solution times of <i>PRICE-S</i> and <i>PRICE-P</i> . . . . .                             | 168 |
| 12.7  | Effects of heuristic dominance tests for <i>PRICE-S</i> at the root node .                        | 170 |
| 12.8  | Effects of different values of $n^{str}$ for <i>PRICE-S</i> at the root node . . . . .            | 172 |
| 12.9  | Effects of label limitation and ordering strategies for <i>PRICE-S</i> at the root node . . . . . | 172 |
| 12.10 | Comparison of the traditional and problem-specific branching strategy                             | 174 |
| 12.11 | Effects of node selection strategies . . . . .  | 175 |
| 12.12 | Effects of implied bound cuts . . . . .   | 177 |
| 12.13 | Effects of parallelization . . . . .  | 179 |
| 12.14 | Comparison of running times using models <i>ACSP-T</i> and <i>ACSP-C</i> .                        | 180 |
| 12.15 | Effects of different values of $mt_k^{elapsed}$ . . . . .   | 180 |
| 12.16 | Effects of fixed costs for external flights . . . . .   | 181 |
| 12.17 | Effects of equal aircraft usage constraints . . . . .   | 182 |
| 12.18 | Effects of cargo handling costs and constraints . . . . .   | 183 |

LIST OF TABLES

|  |     |
|--|-----|
| 12.19 Final results using model <i>ACSP-T</i> with and without maintenance constraints . . . . . | 184 |
|--|-----|

## List of Algorithms

|     |  |     |
|-----|--|-----|
| 7.1 | The general branch-and-bound algorithm for maximization problems.    | 90  |
| 8.1 | The cargo flow path generation algorithm . . . . .                   | 108 |
| 8.2 | The flight string generation algorithm . . . . .                     | 116 |
| 9.1 | The algorithm to identify violated implied bound cuts. . . . .       | 132 |
| 9.2 | The Bron-Kerbosch algorithm to identify all maximal cliques. . . . . | 134 |



# List of Models

|     |   |     |
|-----|---|-----|
| 4.1 | FRP-T (TimeLine) . . . . .                        | 50  |
| 4.2 | FRP-C (Connection) . . . . .                      | 53  |
| 4.3 | FRP-TS (Timeline with Flight Strings) . . . . .   | 57  |
| 4.4 | FRP-CS (Connection with Flight Strings) . . . . . | 58  |
| 4.5 | CRP-T (Timeline-based formulation) . . . . .      | 62  |
| 4.6 | CRP-P (Path-based formulation) . . . . .          | 63  |
| 5.1 | ACSP-T . . . . .                                  | 66  |
| 5.2 | ACSP-C . . . . .                                  | 68  |
| 6.1 | Reference Model (ACSP-C+MC+EC+EU+CH) . . . . .    | 82  |
| 8.1 | Dual of <i>RMP</i> . . . . .                      | 100 |