

Joachim Rudolph

# **Flatness-Based Control**

An Introduction

# **FLATNESS-BASED CONTROL**

## **An Introduction**

**Joachim Rudolph**

Notes for a course

February 2021

Prof. Dr.-Ing. habil. Joachim Rudolph  
Chair of Systems Theory and Control Engineering  
Saarland University, Germany  
E-mail: [j.rudolph@lsr.uni-saarland.de](mailto:j.rudolph@lsr.uni-saarland.de)  
[www.lsr.uni-saarland.de](http://www.lsr.uni-saarland.de)

Berichte aus der Steuerungs- und Regelungstechnik

**Joachim Rudolph**

**Flatness-Based Control**

An Introduction

Shaker Verlag  
Düren 2021

**Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Copyright Shaker Verlag 2021

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8440-7893-0

ISSN 0945-1005

Shaker Verlag GmbH • Am Langen Graben 15a • 52353 Düren

Phone: 0049/2421/99011-0 • Telefax: 0049/2421/99011-9

Internet: [www.shaker.de](http://www.shaker.de) • e-mail: [info@shaker.de](mailto:info@shaker.de)





# Contents

<b>1</b>	<b>Motivation</b>	<b>1</b>
1.1	Kinematic car motion . . . . .	1
1.2	Car: flatness by geometric considerations . . . . .	2
1.3	Car: model equations . . . . .	4
1.4	Car: flatness in view of model equations . . . . .	6
1.5	Car: properties of a flat output . . . . .	7
1.6	Car: about the term “flatness” . . . . .	9
1.7	Car: flatness-based tracking control . . . . .	10
<b>2</b>	<b>Flat systems</b>	<b>15</b>
2.1	Systems . . . . .	15
2.2	Flat systems definition . . . . .	17
2.3	Non-uniqueness of flat outputs . . . . .	19
2.4	Example: a gantry crane . . . . .	22
2.4.1	Crane: mathematical model . . . . .	23
2.4.2	Crane: flatness . . . . .	24
2.4.3	Crane in three dimensional space . . . . .	26
2.5	Inputs . . . . .	28
2.5.1	Definition of an input . . . . .	28
2.5.2	Kinematic car: alternative input choices . . . . .	32
2.5.3	Gantry crane: alternative input choices . . . . .	33
2.6	Example: a separately-excited DC motor . . . . .	34
2.6.1	DC motor: mathematical model . . . . .	34
2.6.2	DC motor: input choice . . . . .	35
2.6.3	DC motor: flatness . . . . .	35
2.7	States . . . . .	37
2.7.1	Gantry crane: state representations . . . . .	37
2.7.2	Definition of a state . . . . .	41
2.7.3	State transformations . . . . .	46
2.7.4	Flatness of systems in a state representation . . . . .	49
2.7.5	Brunovský states and a controller form for flat systems . . . . .	50

2.7.6	State representations: examples . . . . .	54
2.7.7	Flatness and controllability of the linearized system . . . . .	56
<b>3</b>	<b>Flatness-based trajectory planning and feed-forward control</b>	<b>59</b>
3.1	Flatness-based analysis of equilibria . . . . .	60
3.2	Example: chemical reactor . . . . .	61
3.2.1	Chemical reactor: mathematical model . . . . .	61
3.2.2	Chemical reactor: flatness . . . . .	62
3.2.3	Chemical reactor: stationary analysis . . . . .	63
3.2.4	Chemical reactor: flatness and equilibrium points with two controls . . . . .	64
3.3	Trajectory planning and feed-forward control . . . . .	66
3.3.1	Transition between stationary operating points . . . . .	68
3.3.2	Crane: trajectory planning and open-loop control design . . . . .	70
3.3.3	DC motor: start-up . . . . .	73
3.3.4	Steering along trajectories of quantities not belonging to a flat output . . . . .	76
3.3.5	Accounting for constraints . . . . .	78
3.3.6	Car: setpoint transitions . . . . .	79
<b>4</b>	<b>Stable tracking by state feedback</b>	<b>85</b>
4.1	State feedback . . . . .	88
4.1.1	Endogenous state feedback . . . . .	89
4.1.2	Quasi-static and static state feedback . . . . .	91
4.1.3	Comparison of the feedback classes . . . . .	92
4.2	Linearization of flat systems by state feedback . . . . .	94
4.3	Stabilization of the tracking error dynamics . . . . .	96
4.4	Example: planar motion of a VTOL aircraft . . . . .	99
4.4.1	VTOL: model . . . . .	99
4.4.2	VTOL: flatness . . . . .	100
4.4.3	VTOL: Brunovský states . . . . .	103
4.4.4	VTOL: quasi-static feedback . . . . .	105
4.4.5	VTOL: dynamic state feedback . . . . .	107
4.5	Further examples for trajectory tracking control design . . . . .	108
4.5.1	DC motor: static feedback . . . . .	109
4.5.2	Chemical reactor: feedback with different inputs . . . . .	110
4.5.3	Gantry crane: quasi-static feedback . . . . .	114
4.5.4	Kinematic car: invariant path tracking . . . . .	116

---

<b>5</b>	<b>Observers for trajectory tracking</b>	<b>125</b>
5.1	Observer design . . . . .	125
5.1.1	VTOL: observers . . . . .	127
5.1.2	DC motor: observers . . . . .	130
5.2	Tracking observers . . . . .	132
5.2.1	Time-varying observer gain . . . . .	134
5.3	Observability requirement . . . . .	139
5.4	Overhead crane: tracking observer . . . . .	143
<b>6</b>	<b>Flatness conditions, defect, and orbital flatness</b>	<b>147</b>
6.1	Necessary conditions for flatness . . . . .	148
6.1.1	Ruled surface condition . . . . .	148
6.1.2	A chemical batch reactor . . . . .	150
6.1.3	A planar double pendulum . . . . .	151
6.2	Sufficient conditions for flatness . . . . .	153
6.3	Systems with a series structure . . . . .	157
6.4	Flatness defect . . . . .	160
6.5	Orbitally flat systems . . . . .	161